

# CF<sup>®</sup> Dye Reference Guide

	Dye	Ex/Em (nm)	Excitation	Alternative for	Specialized Applications	Brightness*	Photostability*
Visible spectrum	CF <sup>®</sup> 350	347/448	UV	Alexa Fluor <sup>®</sup> 350, AMCA, DyLight <sup>®</sup> 350		●	●
	CF <sup>®</sup> 405S	411/431	405 nm	Alexa Fluor <sup>®</sup> 405, Cascade Blue™, DyLight <sup>®</sup> 405	SIM	●	● ●
	CF <sup>®</sup> 405M	416/452	405 nm	BD Horizon™ V450, eFluor <sup>®</sup> 450, Pacific Blue™	SIM, STED, 2-Photon	●	● ●
	CF <sup>®</sup> 405L	413/547	405 nm	Pacific Orange™, Qdot™ 565, Spark Violet™ 538		●	●
	CF <sup>®</sup> 430	426/498	405 nm	Pacific Green™, BD Horizon™ V500, Krome Orange™		●	● ●
	CF <sup>®</sup> 440	440/515	405 nm	Alexa Fluor <sup>®</sup> 430		●	● ●
	CF <sup>®</sup> 450	450/538	405 nm	Unique dye		●	●
	CF <sup>®</sup> 488A	490/515	488 nm	ATTO 488, Alexa Fluor <sup>®</sup> 488, Spark Blue™ 515 Cy <sup>®</sup> 2, DyLight <sup>®</sup> 488, FAM, FITC	SIM, STED, STORM, 2-Photon, TIRF, DNA-PAINT	● ● ●	● ● ●
	CF <sup>®</sup> 503R	503/532	488 nm	ATTO 488		● ● ●	● ● ●
	CF <sup>®</sup> 505	505/519	488 nm	ATTO 488	STORM	● ● ●	● ● ●
	CF <sup>®</sup> 514	516/548	488 nm	Alexa Fluor <sup>®</sup> 514, Spark Blue™ 550		● ●	● ● ●
	CF <sup>®</sup> 532	527/558	532 nm	Alexa Fluor <sup>®</sup> 532, ATTO 532, Qdot™ 565		● ●	● ● ●
	Far-red	CF <sup>®</sup> 535ST	535/568	532 nm	Unique dye for STORM	STORM	● ●
CF <sup>®</sup> 543		541/560	532 to 546 nm	Alexa Fluor <sup>®</sup> 546, Tetramethylrhodamine (TAMRA)		● ● ●	● ●
CF <sup>®</sup> 550R		551/577	532 to 568 nm	Unique dye		● ● ●	● ● ●
CF <sup>®</sup> 555		555/565	532 to 568 nm	Alexa Fluor <sup>®</sup> 555, ATTO 550, Cy <sup>®</sup> 3, DyLight <sup>®</sup> 549, TRITC	SIM, STORM	● ● ●	● ●
CF <sup>®</sup> 568		562/583	532 to 568 nm	Alexa Fluor <sup>®</sup> 568, Spark YG™ 581, ATTO 565, Rhodamine Red	SIM, STED, STORM, TIRF	● ● ●	● ● ●
CF <sup>®</sup> 570		568/591	532 to 568 nm	Alexa Fluor <sup>®</sup> 568, Spark YG™ 593, ATTO 565, DY-560, Rhodamine Red		● ● ●	● ●
CF <sup>®</sup> 583		583/606	532 to 568 nm	Cy <sup>®</sup> 3.5, Texas Red <sup>®</sup>		● ●	● ●
CF <sup>®</sup> 583R		586/609	532 to 568 nm	Cy <sup>®</sup> 3.5, Texas Red <sup>®</sup>	STORM	● ● ●	●
CF <sup>®</sup> 594		593/614	532 to 568 nm	Alexa Fluor <sup>®</sup> 594, ATTO 594, DyLight <sup>®</sup> 594, Texas Red <sup>®</sup>	STED, 2-Photon	● ● ●	● ● ●
RPE-Astral™616		565/617	488 nm or 561 nm	PE-Texas Red <sup>®</sup> , PE/Dazzle™ 594, PE-CF <sup>®</sup> 594		● ● ●	●
CF <sup>®</sup> 597R		597/619	561 to 568 nm	Alexa Fluor <sup>®</sup> 594, ATTO 594, DyLight <sup>®</sup> 594	STORM	● ● ●	●
CF <sup>®</sup> 620R		617/639	633 or 635 nm	LightCycler <sup>®</sup> Red 640		● ●	● ● ●
CF <sup>®</sup> 633		630/650	633 or 635 nm	Alexa Fluor <sup>®</sup> 633, Alexa Fluor <sup>®</sup> 647, Cy <sup>®</sup> 5, DyLight <sup>®</sup> 633	TIRF, FIONA, gSHRImP, SMT	● ● ●	● ● ●
CF <sup>®</sup> 640R		642/662	633 to 640 nm	Alexa Fluor <sup>®</sup> 647, ATTO 647N, Cy <sup>®</sup> 5, DyLight <sup>®</sup> 649	SIM, STED, TIRF, FLImP, 2-Photon	● ● ●	● ● ●
CF <sup>®</sup> 647		652/668	633 to 640 nm	Alexa Fluor <sup>®</sup> 647, ATTO 647N, Cy <sup>®</sup> 5, DyLight <sup>®</sup> 649	STORM	● ● ●	●
CF <sup>®</sup> 647Plus		652/668	633 to 640 nm	Alexa Fluor <sup>®</sup> 647, ATTO 647N, Cy <sup>®</sup> 5, DyLight <sup>®</sup> 649		● ● ●	●
CF <sup>®</sup> 660C		667/685	633 to 640 nm	Alexa Fluor <sup>®</sup> 660, Spark NIR™ 685	STORM, MINFLUX	● ●	● ●
CF <sup>®</sup> 660R		663/682	633 to 640 nm	Alexa Fluor <sup>®</sup> 660	SMLM, DNA-PAINT	● ●	● ● ●
CF <sup>®</sup> 680		681/698	680 or 685 nm	Alexa Fluor <sup>®</sup> 680, Cy <sup>®</sup> 5.5, DyLight <sup>®</sup> 680, IRDye <sup>®</sup> 680LT	Near-IR western, STORM, 3D SMLM, MINFLUX	● ● ●	● ●
CF <sup>®</sup> 680R		680/701	680 or 685 nm	Alexa Fluor <sup>®</sup> 680, Cy <sup>®</sup> 5.5, DyLight <sup>®</sup> 680, IRDye <sup>®</sup> 680LT	STED, STORM, SMT, 2-Photon, single molecule spectroscopy	● ●	● ● ●
CF <sup>®</sup> 700		695/720	680 or 685 nm	Alexa Fluor <sup>®</sup> 700, DyLight <sup>®</sup> 700, BD Horizon™ Red 718, Spark Red™ 718		● ●	● ●
CF <sup>®</sup> 750		755/777	680 or 685 nm	Alexa Fluor <sup>®</sup> 750, Cy <sup>®</sup> 7, DyLight <sup>®</sup> 750, IRDye <sup>®</sup> 750	Photoacoustic imaging, STORM	● ●	●
CF <sup>®</sup> 770		770/797	785 nm	DyLight <sup>®</sup> 800, IRDye <sup>®</sup> 800CW, ZW800-1	Near-IR western	● ●	●
CF <sup>®</sup> 790		784/806	785 nm	Alexa Fluor <sup>®</sup> 790		● ●	●
APC-Astral™813		788/813	633 to 640 nm	APC/Fire™ 810		● ● ●	●
CF <sup>®</sup> 800		797/816	785 nm	Spectrally similar to Indocyanine green		● ●	●
CF <sup>®</sup> 820		822/835	785 nm	DY-820		● ●	●
CF <sup>®</sup> 850	852/570	808 nm	Unique dye		● ●	●	
CF <sup>®</sup> 870	876/896	808 nm	Unique dye		● ●	●	

FLImP: Fluorophore localization imaging with photobleaching; SIM: Structured illumination microscopy; STED: Stimulated emission depletion; STORM: Stochastic optical reconstruction microscopy; TIRF: Total internal reflection fluorescence; FIONA: Fluorescence imaging with one-nanometer accuracy; ExM: Expansion microscopy; SMT: Single-molecule tracking; SMLM: Single-molecule localization microscopy.

\*The relative brightness and photostability of CF<sup>®</sup> Dyes shown in this table are intended as a general guideline. The values are partially based on extinction coefficients and dye structure, as well as our experience with antibody conjugates in immunofluorescence and flow cytometry experiments. Many factors, such as degree of labeling (DOL), laser power, filters, and gain, influence the performance of fluorescent dyes on a given instrument.

# Dyes At a Glance: Select the Right Dye for Your Application

Use our CF® Dye Selection Tool at [www.biotium.com](http://www.biotium.com) to find the best CF® Dyes for your application and instrument configuration.

## Flow Fundamentals

Our most recommended dyes for flow cytometry

<b>CF®405M</b> 416/452 nm	<b>RPE-Astral™616</b> 566/617 nm
<b>CF®488A</b> 490/515 nm	<b>CF®647Plus</b> 652/668 nm
<b>CF®568</b> 562/583 nm	<b>CF®700</b> 695/720 nm
	<b>APC-Astral™813</b> 788/813 nm

## Bright & photostable

For microscopy & confocal imaging

<b>CF®488A</b> 490/515 nm	<b>CF®633</b> 630/650 nm
<b>CF®532</b> 527/558 nm	<b>CF®640R</b> 642/662 nm
<b>CF®543</b> 541/560 nm	<b>CF®660R</b> 663/682 nm
<b>CF®568</b> 562/583 nm	<b>CF®680R</b> 680/701 nm
<b>CF®594</b> 593/614 nm	<b>CF®750</b> 755/777 nm

## Near-infrared

Industry-leading NIR dyes for microscopy, flow, *in vivo* imaging, and WB

<b>CF®680</b> 681/698 nm	<b>CF®790</b> 784/806 nm
<b>CF®680R</b> 680/701 nm	<b>CF®800</b> 797/816 nm
<b>CF®700</b> 695/720 nm	<b>CF®820</b> 822/835 nm
<b>CF®750</b> 755/777 nm	<b>CF®850</b> 852/870 nm
<b>CF®770</b> 770/797 nm	<b>CF®870</b> 852/870 nm

## Alternative spectra

For FRET, multispectral imaging, or other specialized applications

<b>CF®430</b> 426/498 nm	<b>CF®550R</b> 551/577 nm
<b>CF®440</b> 440/515 nm	<b>CF®620R</b> 617/639 nm
<b>CF®450</b> 405/460 nm	<b>CF®660C</b> 667/685 nm
<b>CF®503R</b> 503/532 nm	<b>CF®800</b> 797/816 nm
<b>CF®405L</b> 395/545 nm	<b>CF®820</b> 822/835 nm
<b>CF®514</b> 516/548 nm	<b>CF®850</b> 852/870 nm
	<b>CF®870</b> 852/870 nm

## The Fab Four

Our go-to team for 4-color confocal

<b>CF®405S</b> 411/431 nm	<b>CF®568</b> 562/583 nm
<b>CF®488A</b> 490/515 nm	<b>CF®640R</b> 642/662 nm

## Near-IR western

Best match for LI-COR Odyssey®

<b>CF®680</b> 681/698 nm	<b>CF®770</b> 770/797 nm
-----------------------------	-----------------------------

## STED

<b>CF®405M</b> 416/452 nm	<b>CF®594</b> 593/614 nm
<b>CF®488A</b> 490/515 nm	<b>CF®640R</b> 642/662 nm
<b>CF®568</b> 562/583 nm	<b>CF®680R</b> 680/701 nm

## Photoacoustic imaging

<b>CF®750</b> 755/777 nm
-----------------------------

## SIM

<b>CF®405S</b> 411/431 nm	<b>CF®555</b> 555/565 nm
<b>CF®405M</b> 416/452 nm	<b>CF®568</b> 562/583 nm
<b>CF®488A</b> 490/515 nm	<b>CF®640R</b> 642/662 nm

## STORM

<b>CF®488A</b> 490/515 nm	<b>CF®568</b> 562/583 nm	<b>CF®660C</b> 667/685 nm
<b>CF®505</b> 505/519 nm	<b>CF®583R</b> 586/609 nm	<b>CF®680</b> 681/698 nm
<b>CF®535ST</b> 535/569 nm	<b>CF®597R</b> 597/619 nm	<b>CF®680R</b> 680/701 nm
<b>CF®555</b> 555/565 nm	<b>CF®647</b> 650/665 nm	<b>CF®750</b> 755/777 nm

## TIRF

<b>CF®488A</b> 490/515 nm	<b>CF®633</b> 630/650 nm
<b>CF®568</b> 562/583 nm	<b>CF®640R</b> 642/662 nm

## 2-photon

<b>CF®405M</b> 416/452 nm	<b>CF®594</b> 593/614 nm
<b>CF®488A</b> 490/515 nm	<b>CF®640R</b> 642/662 nm
	<b>CF®680R</b> 680/701 nm

CF® Dyes are being tested in new applications all the time, visit [biotium.com](http://biotium.com) for the most up-to-date information.

Alexa Fluor, Cascade Blue, Pacific Blue, DyLight, and Texas Red are registered trademarks of Thermo Fisher Scientific; Qdot is a trademark of Thermo Fisher Scientific; ATTO dyes are products of ATTO-TEC GmbH; BD Horizon is a trademark of BD Biosciences; Cy is a registered trademark of Cytiva; eFluor is a registered trademark of eBioscience; IRDye and Odyssey are registered trademarks of LI-COR Bioscience; APC/Fire, PE/Dazzle, Spark Blue, Spark Red, Spark YG, and Spark NIR are trademarks of Biolegend; Krome Orange is a trademark of Beckman Coulter; LightCycler is a registered trademark of Roche Applied Science.

**Biotium, Inc.**  
46117 Landing Parkway  
Fremont, CA 94538 USA  
800-304-5357  
[www.biotium.com](http://www.biotium.com)

v11.8.23  **biotium**