Neurofilament H, phospho Monoclonal Mouse Antibody (NE14)

Product Description

This MAb reacts with a 200 kDa protein, identified as heavy sub-unit of neurofilaments (NF-H). It reacts specifically with the phosphorylated KSP/KEP segment at the C-terminus of the heavy subunit (NF-H) of neurofilaments. After dephosphorylation of neurofilaments with alkaline phosphatase, this Ab no longer binds. Neurofilaments make up the main structural elements of axons and dendrites and are found in neurons, peripheral nerves, and sympathetic ganglion cells. Neurofilaments consist of three major subunits with molecular weights of 68 kDa (NF-L), 160 kDa (NF-M) and 200 kDa (NF-H).

Anti-neurofilament stains a number of neural, neuroendocrine, and endocrine tumors. Neuromas, ganglioneuromas, ganglioneuroblastomas, and neuroblastomas stain positively for anti-neurofilament. Neurofilaments are also present in paragangliomas as well as adrenal and extra-adrenal pheochromocytomas. Carcinoids, neuroendocrine carcinomas of the skin, and oat cell carcinomas of the lung also express neurofilament. Catalog number key for antibody number 1253, Anti-Neurofilament H, phospho (NE14)

Call us: 800-304-5357 Email: btinfo@biotium.com

Product attributes

Fioduct attributes				
Antibody number	#1253			
Antibody reactivity (target)	Neurofilament H, phospho			
Antibody type	Primary			
Host species	Mouse			
Clonality	Monoclonal			
Clone	NE14			
Isotype	IgG1, kappa			
Molecular weight	200 kDa			
Synonyms	NEFH; Neurofilament H; Neurofilament Heavy Polypeptide 200kDa; Neurofilament Triplet H Protein; NF-H; NF200			
Human gene symbol	NEFH			
Entrez gene ID	4744			
SwissProt	P12036			
Unigene	198760			
Immunogen	Crude neurofilament preparation from porcine spinal cord			
Verified antibody applications	Flow (intracellular) (verified), IHC (FFPE) (verified), WB (verified)			
Antibody target cellular localization	Cytoskeleton			
Species reactivity	Human. Mouse. Rat. Guinea Pig. Gerbil. Cat. Pig. Rabbit. Cow. Chicken.			
Antibody application notes	Higher concentration may be required for direct detection using primary antibody conjugates than for indirect detection with secondary antibody, Immunohistochemistry (formalin-fixed): 0.25-0.5 ug/mlL for 30 minutes at RT, Western blot: 1-2 ug/mlL, Flow cytometry: 0.5-1 ug/mllion cells, Staining of formalin-fixed tissues requires boiling tissue sections in 10 mM citrate buffer, pH 6.0, for 10-20 minutes followed by cooling at RT for 20 minutes, Optimal dilution for a specific application should be determined by user			
Positive control	HEK293 cells, Brain, Neuroblastoma.			
Shipping condition	Room temperature			
	Store at 2 to 8 °C, Protect fluorescent conjugates from light, Note: store BSA-free antibodies at -10 to -35 °C			
Storage Conditions				
Storage Conditions Regulatory status				
	Note: store BSA-free antibodies at -10 to -35 °C			
Regulatory status Antibody/conjugate	Note: store BSA-free antibodies at -10 to -35 °C For research use only (RUO) Conjugates: 0.1 mg/mL in PBS/0.1% BSA/0.05% azide, HRP conjugates: 0.1 mg/mL in PBS/0.05% BSA, Puffled: 0.2 mg/mL in PBS/0.05% BSA/0.05% azide, Purifled, BSA-free: 1 mg/mL in			
Regulatory status Antibody/conjugate formulation	Note: store BSA-free antibodies at -10 to -35 °C For research use only (RUO) Conjugates: 0.1 mg/mL in PBS/0.1% BSA/0.05% azide, HRP conjugates: 0.1 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA/0.05% azide, Purified, BSA-free: 1 mg/mL in PBS without azide Guaranteed for at least 24 months from date of receipt when			
Regulatory status Antibody/conjugate formulation Shelf life	Note: store BSA-free antibodies at -10 to -35 °C For research use only (RUO) Conjugates: 0.1 mg/mL in PBS/0.1% BSA/0.05% azide, HRP conjugates: 0.1 mg/mL in PBS/0.05% BSA, Purified: 0.2 mg/mL in PBS/0.05% BSA/0.05% azide, Purified, BSA-free: 1 mg/mL in PBS without azide Guaranteed for at least 24 months from date of receipt when stored as recommended			

Antibody # prefix	Conjugation	Ex/Em (nm)	Laser line	Detection channel	Dye Features
BNC04	CF®405S	404/431	405	DAPI (microscopy), AF405	CF®405S Features
BNC88	CF®488A	490/515	488	GFP, FITC	CF®488A Features
BNC68	CF®568	562/583	532, 561	RFP, TRITC	CF®568 Features
BNC94	CF®594	593/614	561	Texas Red®	CF®594 Features
BNC40	CF®640R	642/662	633-640	Cy®5	CF®640R Features
BNC47	CF®647	650/665	633-640	Cy®5	CF®647 Features
BNC74	CF®740	742/767	633-685	775/50	CF®740 Features
BNCB	Biotin	N/A	N/A	N/A	
BNUB	Purified	N/A	N/A	N/A	
BNUM	Purified, BSA-free	N/A	N/A	N/A	

Alexa Fluor, Pacific Blue, Pacific Orange, and Texas Red are trademarks or registered trademarks of Thermo Fisher Scientific; Cy is a registered trademark of Cytiva; IRDye, LI-COR, and Odyssey are registered trademarks of LI-COR Bioscience.

This datasheet was generated on May 9, 2025 at 07:33:20 PM. Visit product page to check for updated information before use. Product link: http://54.245.69.9/product/neurofilament-h-phospho-monoclonal-mouse-antibody-ne14/